

貳、癌症篩檢

(一)子宮頸癌篩檢

指標群組	子宮頸癌	評估面	過程面	指標屬性	正向指標
指標編號	篩檢-1	品質面	及時性(IOM)	證據等級	1- (SIGN)
指標名稱	當年篩檢抹片為(1)高度鱗狀上皮細胞病變(high-grade squamous lesion, HSIL)或以上者(HSIL+)或(2)非典型腺體病變(atypical glandular cell, AGC)或以上者(AGC+)，於抹片後 90(含)天內接受子宮頸切片檢查的比率。				
指標定義	分子	納入條件	分母中，於抹片後 90(含)天內接受切片檢查的人數。		
		排除條件	—		
	分母	納入條件	當年篩檢抹片檢查結果為高度鱗狀上皮細胞病變(HSIL)或以上者(抹片結果編碼為 8-11,13,16,17)或抹片為腺體病變或以上(抹片結果編碼為 5,12,15,18)的人數。		
		排除條件	曾有子宮頸癌或已經接受子宮全切除術的個案。		
選取理由	陽性抹片確診的即時性。				
適用目的	<input type="checkbox"/> 品質監測 <input checked="" type="checkbox"/> 瞭解現況				
資料來源	抹片檔，子宮頸切片檔。				
參考文獻	1.NCCN Guidelines Version 1.2011, Cervical Cancer Screening, CERVS-12. 2.婦癌臨床診療指引2011年版,子宮頸癌篩檢臨床指引, A-24.				
備註	1.「當年篩檢」係指國民健康局提供之年度子宮頸抹片篩檢。 2.子宮頸切片檢查定義為(1)子宮頸切片(2)子宮頸管搔刮(ECC)(3)子宮頸錐狀手術(Conization)。或(4)可由國健署子宮頸病理資料庫連結之相關資料。				
	<p>抹片</p> <p>5：Atypical Glandular Cells (AGC) 8：Moderate dysplasia (CIN 2) 9：Severe dysplasia (CIN 3) 10：Carcinoma In Situ (CIS) 11：Squamous Cell Carcinoma (SCC) 12：Adenocarcinoma 13：Other malignant neoplasm 15：Atypical Glandular Cells Favor Neoplasm 16：Atypical Squamous Cells of Undetermined Significance cannot exclude HSIL (ASC-H) 17：Dysplasia cannot exclude HSIL 18：Endocervical Adenocarcinoma In Situ (AIS)</p> <p>切片</p> <p>00：Unremarkable cervical epithelium (no pathological change, no pathological diagnosis) 01：Benign epithelial lesion (Benign tumor, Inflammatory & reactive changes, myoma) 02：Mild dysplasia (Flat condyloma; CIN 1; LSIL) 03：Moderate dysplasia (CIN 2; HSIL) 04：Severe dysplasia (Carcinoma in situ; CIN 3, HSIL) 05：Squamous cell carcinoma 06：Atypical glandular hyperplasia and dysplasia</p>				

	07 : Adenocarcinoma in situ 08 : Adenocarcinoma 09 : Adenosquamous carcinoma 10 : Carcinoma(NOS, or other specific type) 11 : Mesenchymal tumor, benign 12 : Mesenchymal tumor, malignant 14 : Squamous cell atypia / ASCUS 15 : Dysplasia, severity can not be determinated 88 : Inadequate specimen 99 : Others
--	--